

W51 POLYPROPYLENE WHEELS

WHEELS SERIES II (METRIC)

- METAL THREAD GUARDS AVAILABLE
- DIFFERENT COLORS AVAILABLE



Diameter (inch)	Tread Width (inch)	Hub Length (inch)	Bore Diameter (inch)	Load (lbs)	WHEEL No.	BEARING TYPE
25	14	15	5	18	W5125-PP	PLAIN
30	14	19	5	25	W5130-14-PP	PLAIN
	16	19	6	30	W5130-16-PP	PLAIN
40	17	20	7	40	W5140-17-20PP	PLAIN
		21	6	35	W5140-17-21PP	PLAIN
50	21	28	6	50	W5150-21-28PP	PLAIN
		29	8	55	W5150-21-29PP	PLAIN
60	20	28	6	60	W5160-20-B6PP	PLAIN
		28	8	65	W5160-20-B8PP	PLAIN
80	22	28	8	70	W5180-PP	PLAIN
100	22	28	10	80	W51100-PP	PLAIN

W52 GREY RUBBER on PLOYPROPYLENE WHEELS

- METAL THREAD GUARDS AVAILABLE
- RUBBER THERMOPLASTIC INJECTION



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE
30	16	18	5	15	W5230-GR	PLAIN
40	16	21	6	20	W5240-GR	PLAIN
56	20	27	8	35	W5250-20-GR	PLAIN
	22	28	8	40	W5250-22-GR	PLAIN
60	21	28	8	40	W5260-21-GR	PLAIN
	24	28	8	50	W5260-24-GR	PLAIN
80	22	28	8	65	W5280-22-GR	PLAIN
	24	29	10	50	W5280-24-GR	PLAIN
100	22	28	8	75	W52100-22-GR	PLAIN
	24	29	10	60	W52100-24-GR	PLAIN
	32	35	11	100	W52100-32-GR	PLAIN
					W52100-32-GRB	BALL BEARING
125	32	35	11	120	W52125-32-GR	PLAIN
					W52125-32-GRB	BALL BEARING

W53 POLYAMIDE WHEELS

WHEELS SERIES II (METRIC)

- METAL THREAD GUARDS AVAILABLE
- POLYPROPYLENE AVAILABLE



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE
50	22	28	8	60	W5350-NY	PLAIN
60	22	28	8	70	W5360-22-NY	PLAIN
	30	37	12	150	W5360-30-NY	PLAIN
80	22	28	8	80	W5380-22-NY	PLAIN
	32	40	12	200	W5380-32-NY	PLAIN
100	22	28	8	90	W53100-22-NY	PLAIN
	27	35	10	120	W53100-27-NY	PLAIN
	32	40	12	250	W53100-32-NY	PLAIN
	35	48	15	350	W53100-35-NY	PLAIN
					W53100-35-NYB	BALL BEARING
125	28	35	10	135	W53125-28-NY	PLAIN
	35	49	15	300	W53125-35-NY	PLAIN
150	37	48	15	350	W53150-NY	PLAIN
160	45	60	20	500	W53160-45-NY	PLAIN
					W53160-45-NYB	BALL BEARING
200	50	59	20	600	W53200-50-NY	PLAIN
					W53200-50-NYB	BALL BEARING

W54 THERMOPLASTIC RUBBER WHEELS

- NO-MARKING THERMOPLASTIC RUBBER TREAD MECHANICALLY BONDED TO POLYOLEFIN CORE
- LIGHT WEIGHT
- SMOOTH ROLLING AND QUIET
- EXCELLENT WHEEL FOR CLEAN ENVIRONMENTS
- DUROMETER : 70 +/-5 SHORE A



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE
75	25	30	6	65	W5475-TPRB	PLAIN
100	29	41	10	100	W54100-TPRB	BALL BEARING
125	29	41	10	125	W54125-TPRB	BALL BEARING

W55 SANDWICH WHEELS

- WHEEL MATERIAL : POLYPROPYLENE
- BLUE RUBBER RING SHOCK ABSORBING 85° SHORE



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE
100	100	38	12	200	W55100-PPR	ROLLER BEARING
125	125	47	15	250	W55125-PPR	ROLLER BEARING

W56 BLACK RUBBER WHEELS

- POLYPROPYLENE CENTER AVAILABLE
- GRAY RUBBER TREAD AVAILABLE



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE
75	22	30	12	60	W5675-BRR	ROLLER BEARING
80	27	40	12	70	W5680-BRR	ROLLER BEARING
100	27	40	12	80	W56100-BRR	ROLLER BEARING
125	34	40	12	100	W56125-BRR	ROLLER BEARING
160	42	55	20	160	W56160-BRR	ROLLER BEARING
200	47	55	20	230	W56200-BRR	ROLLER BEARING

W57 ELASTIC BLUE RUBBER WHEELS

- BEARING OPTION : PLAIN / ROLLER / BALL
- HARDNESS : 70 +/-5 SHORE A



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE
75	22	40	12	60	W5775-ERR	ROLLER BEARING
80	27	40	12	70	W5780-ERR	ROLLER BEARING
100	27	40	12	80	W57100-ERR	ROLLER BEARING
125	34	44	15	100	W57125-ERR	ROLLER BEARING
160	45	55	20	160	W57160-ERR	ROLLER BEARING
200	47	55	20	230	W57200-ERR	ROLLER BEARING

W58 RUBBER on ALUMINUM WHEELS

- BLACK OR NO-MARKING GRAY RUBBER TREADS
- CHEMICALLY BONDED TO LIGHT WEIGHT ALUMINUM CORE
- LIGHT WEIGHT
- HIGH SHOCK ABSORPTION
- QUIET , EASY ROLLING , FLOOR PROTECTIVE
- HARDNESS : 70 +/-5 SHORE A



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE	
100	40	40	32	100	W58100-40-40RAB	BALL BEARING	6202
125	38	41	32	150	W58125-38-41RAB	BALL BEARING	6202
	50	50	47	200	W58125-50-50RAB	BALL BEARING	6204
		60	47	200	W58125-50-60RAB	BALL BEARING	6202
150	38	41	32	250	W58150-38-41RAB	BALL BEARING	6204
	50	60	47	300	W58150-50-60RAB	BALL BEARING	6204
160	50	50	47	350	W58160-50-50RAB	BALL BEARING	6204
		56	47	350	W58160-50-56RAB	BALL BEARING	6204
170	50	58	47	350	W58170-50-58RAB	BALL BEARING	6204
180	50	50	47	400	W58180-50-50RAB	BALL BEARING	6204
		56	47	400	W58180-50-56RAB	BALL BEARING	6204
200	50	50	47	450	W58200-50-50RAB	BALL BEARING	6204
		56	47	450	W58200-50-56RAB	BALL BEARING	6204
	63	70	47	480	W58200-63-70RAB	BALL BEARING	6204
	76	82	52	500	W58200-76-82RAB	BALL BEARING	6205
250	50	50	47	550	W58250-50-50RAB	BALL BEARING	6204
		56	47	550	W58250-50-56RAB	BALL BEARING	6204
	63	70	47	580	W58250-63-70RAB	BALL BEARING	6204
	76	82	52	600	W58250-76-82RAB	BALL BEARING	6205
300	76	82	52	700	W58300-76-82RAB	BALL BEARING	6205

W59 POLYURETHANE on ALUMINUM WHEELS

- NO-MARKING , NO-STAINING , NO-CONDUCTIVE TREAD
- CHEMICALLY BONDED TO LIGHT WEIGHT ALUMINUM CORE
- LIGHT WEIGHT
- RESISTS OIL , GREASE , WATER , AND SOLVENTS
- QUIET , EASY ROLLING , FLOOR PROTECTIVE
- HARDNESS : 90 +/-5 SHORE A



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE	
100	40	40	32	200	W59100-PAB	BALL BEARING	6202
125	50	50	47	450	W59125-PAB	BALL BEARING	6204
150	50	50	47	550	W59150-PAB	BALL BEARING	6204
160	50	50	47	600	W59160-PAB	BALL BEARING	6204
175	50	50	47	650	W59175-PAB	BALL BEARING	6204
180	50	50	47	700	W59180-PAB	BALL BEARING	6204
200	50	50	47	800	W59200-PAB	BALL BEARING	6204
250	50	50	47	1000	W59250-PAB	BALL BEARING	6204

W60 POLYURTHANE on CAST IRON WHEELS

- NO-MARKING , NO-STAINING , NO-CONDUCTIVE TREAD
- CHEMICALLY BONDED TO HEAVY CAST IRON CORE
- RESISTS OIL , GREASE , WATER , AND SOLVENTS
- EASY ROLLING , ROLL EFFORTLESSLY , FLOOR PROTECTIVE
- DIFFERENT COLORS AVAILABLE
- HARDNESS : 90 +/-5 SHORE A



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE	
100	40	40	32	200	W60100-PCB	BALL BEARING	6202
125	50	50	47	450	W60125-PCB	BALL BEARING	6204
150	50	50	47	550	W60150-PCB	BALL BEARING	6204
160	50	50	47	600	W60160-PCB	BALL BEARING	6204
175	50	50	47	650	W60175-PCB	BALL BEARING	6204
180	50	50	47	700	W60180-PCB	BALL BEARING	6204
200	50	50	47	800	W60200-PCB	BALL BEARING	6204
250	50	50	47	1000	W60250-PCB	BALL BEARING	6204

W61 GRAY POLYURETHANE FOAM WHEELS

- POLYURETHANE FOAM TREAD
- POLYPROPYLENE CORE
- 1-1/4" , 1-3/4:" , 2" WHEEL WIDTH AVAILABLE
- MEDICAL CARE APPLICATIONS



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE
175	23	40 / 60	22	50	W61175-PUB	BALL BEARING
200	23	40 / 60	22	50	W61200-PUB	BALL BEARING

W81 POLYURTHANE on POLYAMIDE ROLLERS

- NO-MARKING , NO-STAINING , NO-CONDUCTIVE TREAD
- CHEMICALLY BONDED TO A LIGHTWEIGHT POLYAMIDE CORE
- LIGHT WEIGHT
- RESISTS OIL , GREASE , WATER , AND SOLVENTS
- EASY ROLLING , ROLL EFFORTLESSLY , FLOOR PROTECTIVE
- HARDNESS : 90 +/-5 SHORE A



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE	
80	90	90	47	500	W8180-90-PNB	BALL BEARING	6204
	93	93	47	400	W8180-93-PNB	BALL BEARING	6204
82	60	60	47	400	W8182-60-PNB	BALL BEARING	6204
	65	65	47	400	W8182-65-PNB	BALL BEARING	6204
	70	70	47	400	W8182-70-PNB	BALL BEARING	6204
	90	90	47	500	W8182-90-PNB	BALL BEARING	6204
	93	93	47	600	W8182-93-PNB	BALL BEARING	6204
85	70	70	47	650	W8185-70-PNB	BALL BEARING	6204
	75	75	47	800	W8185-75-PNB	BALL BEARING	6204
	90	90	47	850	W8185-90-PNB	BALL BEARING	6204
	93	93	47	850	W8185-93-PNB	BALL BEARING	6204

W82 POLYAMIDE ROLLERS

- HIGH CHEMICAL RESISTANCE TO ALCOHOL. SALTS.GREASES AND CERTAIN ACIDS AND LYES IN DILUTED CONCENTRATION
- HIGH QUALITY NYLON , COLOR WHITE
- HIGH ABRASION RESISTANCE , LOW ROLLING RESISTANCE , SHOCK AND IMPACT-RESISTANT , CORROSION-RESISTANT
- SMOOTH RUNNING PERFORMANCE



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE	
74	70	70	47	500	W8274-70-NYB	BALL BEARING	6204
	93	93	47	600	W8274-93-NYB	BALL BEARING	6204
78	72	72	47	700	W8278-72-NYB	BALL BEARING	6204
80	60	60	47	750	W8280-60-NYB	BALL BEARING	6204
	65	65	47	750	W8280-65-NYB	BALL BEARING	6204
	68	68	47	800	W8280-68-NYB	BALL BEARING	6204
	70	70	47	900	W8280-70-NYB	BALL BEARING	6204
	93	93	47	600	W8280-93-NYB	BALL BEARING	6204
82	60	60	47	600	W8282-60-NYB	BALL BEARING	6204
	70	70	47	700	W8282-70-NYB	BALL BEARING	6204
	93	93	47	750	W8282-93-NYB	BALL BEARING	6204
85	65	65	47	750	W8285-65-NYB	BALL BEARING	6204
	75	75	47	800	W8285-75-NYB	BALL BEARING	6204

W83 POLYURETHANE on STEEL ROLLERS

- NO-MARKING , NO-STAINING , NO-CONDUCTIVE TREAD
- CHEMICALLY BONDED TO A LIGHTWEIGHT STEEL CORE
- LIGHT WEIGHT
- RESISTS OIL , GREASE , WATER , AND SOLVENTS
- EASY ROLLING , ROLL EFFORTLESSLY , FLOOR PROTECTIVE
- HARDNESS : 90 +/-5 SHORE A



Diameter (mm)	Tread Width (mm)	Hub Length (mm)	Bore Diameter (mm)	Load (kgs)	WHEEL No.	BEARING TYPE	
70	60	60	47	400	W8370-60-PSB	BALL BEARING	6204
	80	80	47	500	W8370-80-PSB	BALL BEARING	6204
74	70	70	47	500	W8374-70-PSB	BALL BEARING	6204
	93	93	47	600	W8374-93-PSB	BALL BEARING	6204
75	40	40	47	300	W8375-40-PSB	BALL BEARING	6204
	62	62	47	500	W8375-62-PSB	BALL BEARING	6204
	95	95	47	700	W8375-95-PSB	BALL BEARING	6204
80	50	50	47	400	W8380-50-PSB	BALL BEARING	6204
	70	70	47	600	W8380-70-PSB	BALL BEARING	6204
	73	73	47	650	W8380-73-PSB	BALL BEARING	6204
	93	93	47	800	W8380-93-PSB	BALL BEARING	6204
	100	100	47	850	W8380-100-PSB	BALL BEARING	6204
82	34	34	47	300	W8382-34-PSB	BALL BEARING	6204
	60	60	47	500	W8382-60-PSB	BALL BEARING	6204
	66	66	47	600	W8382-66-PSB	BALL BEARING	6204
	70	70	47	700	W8382-70-PSB	BALL BEARING	6204
	75	75	47	750	W8382-75-PSB	BALL BEARING	6204
	78	78	47	750	W8382-78-PSB	BALL BEARING	6204
	90	90	47	800	W8382-90-PSB	BALL BEARING	6204
	100	100	47	900	W8382-100-PSB	BALL BEARING	6204
85	62	62	47	600	W8385-62-PSB	BALL BEARING	6204
	68	68	47	600	W8385-68-PSB	BALL BEARING	6204
	70	70	47	700	W8385-70-PSB	BALL BEARING	6204
	75	75	47	750	W8385-75-PSB	BALL BEARING	6204
	78	78	47	750	W8385-78-PSB	BALL BEARING	6204
	80	80	47	800	W8385-80-PSB	BALL BEARING	6204
	90	90	47	850	W8385-90-PSB	BALL BEARING	6204
	95	95	47	900	W8385-95-PSB	BALL BEARING	6204
	100	100	47	1000	W8385-100-PSB	BALL BEARING	6204